Date of Issue: September 25, 2017 **Revision Date:** January 24, 2018 **Revision:** 0

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Chemical Name Mixture
Trade Name Headlight Polish
CAS No. Mixture

Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s) Polish for headlight lenses

Uses Advised Against None

Details of the supplier of the safety data sheet

Company Identification Treatment Products Ltd. 4701 W. Augusta Blvd. Chicago, II, 60651

Chicago, IL 60651 United States of America

Telephone 773-626-8888; M-F 8:00 AM-5:30 PM EST

Fax 773-626-6200

Emergency telephone number

Emergency Phone No. Infotrac 24 hr.: 1 (800) 535-5053; International: +1 (352) 323-

3500.

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture

OSHA HCS (29 CFR 1910.1200)

Label elements

Hazard Symbol(s)

Skin Irrit. 2; STOT SE 3; STOT RE 1



Signal Word(s)

Hazard Statement(s)

Causes skin irritation.

Causes serious eye irritation.

May cause drowsiness or dizziness.

Causes damage to central nervous system through prolonged or repeated

exposure

Precautionary Statement(s)

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear protective gloves/protective clothing/eye protection/face protection.

Wash hands and exposed skin after use.

Do not eat, drink or smoke when using this product.

IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs, get

medical advice/attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get

medical advice/attention.

IF INHALED: Move person to fresh air. If breathing is labored, administer

oxygen. If symptoms develop, obtain medical attention.

IF SWALLOWED: Do not give anything by mouth to an unconscious person.Get medical advice/attention if you feel unwell. Rinse mouth.

Revision: 24 January 2018 Page: 1/8

Date of Issue: September 25, 2017 Revision Date: January 24, 2018 Revision: 0

Other hazards

Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

Additional Information No.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Composition/information on ingredients	%W/W*	CAS No.	Hazard classification
Stoddard solvent***	5-10	8052-41-3	Flam. Liq. 3; H226 Skin Irrit. 2; H315 Asp. Tox. 1; H304 STOT SE 3; H336 STOT RE 1; H372 Aquatic Acute 2; H401 Aquatic Chronic 2; H411
Kerosine (Petroleum) Hydrodesulfurized**	1-5	64742-81-0	Flam. Liq. 3; H226 Skin Irrit. 2; H315 STOT SE 3; H336 Asp. Tox. 1; H304 Aquatic Acute 2; H401 Aquatic Chronic 2; H411
Paraffin oils (petroleum), catalytic dewaxed light	1-5	64742-71-8	Asp. Tox. 1; H304
Diethanolamine	<1	111-42-2	Acute Tox. 4: H302 Skin Irrit. 2; H315 Eye Dam. 1: H318 STOT RE 2; H373 Aquatic Chronic 3; H412 Aquatic Acute 3; H402

Additional Information -

SECTION 4: FIRST AID MEASURES



Description of first aid measures

Inhalation Move person to fresh air. If breathing is labored, administer oxygen. If

symptoms develop, obtain medical attention.

Skin Contact Wash with plenty of soap and water. Get medical advice/attention if you feel

unwell. Take off contaminated clothing and wash it before reuse.

Eye Contact Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists, get

medical advice/attention.

Ingestion Do not give anything by mouth to an unconscious person.Get medical

advice/attention if you feel unwell. Rinse mouth.

Revision: 24 January 2018 Page: 2/8

^{*} The exact percentage withheld as a trade secret in accordance with 29 CFR 1910.1200.

^{**}Contains: Naphthalene (CAS No. 91-20-3) < 0.04%; Xylene (CAS No. 1330-20-7), < 0.04%; Ethylbenzene (CAS No., 100-41-4), < 0.04%

^{***}Contains: Trimethylbenzene (CAS No. 25551-13-7), < 0.53%; Xylene (CAS No. 1330-20-7), 0.11%; Cumene (CAS No., 98-82-8),<0.07%; Ethylbenzene (CAS No., 100-41-4), <0.07%

Date of Issue: September 25, 2017 Revision Date: January 24, 2018 Revision: 0

Most important symptoms and effects, both

acute and delayed

Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. Causes damage to central nervous system through prolonged or repeated exposure

Indication of any immediate medical attention

and special treatment needed

None

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media

-Suitable Extinguishing Media Extinguish with carbon dioxide, dry chemical, foam or water spray.

-Unsuitable Extinguishing Media None anticipated.

Special hazards arising from the substance or mixture Combustion or thermal decomposition will evolve toxic and irritant

vapours. Carbon monoxide, Carbon dioxide, siloxanes.

Advice for fire-fighters Fire fighters should wear complete protective clothing including self-

contained breathing apparatus. Keep containers cool by spraying

with water if exposed to fire.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment Eliminate sources of ignition. Wear protective gloves/eye protection/face and emergency procedures

protection. Avoid contact with skin and eyes.

Environmental precautions Avoid release to the environment.

Methods and material for containment and

cleaning up

Contain spillages with sand, earth or any suitable adsorbent material.

Transfer to a container for disposal or recovery.

Reference to other sections None **Additional Information** None

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling Avoid contact with skin and eyes. Avoid breathing mist/vapors/spray.

Conditions for safe storage, including any incompatibilities

-Storage temperature Store at room temperature.

-Incompatible materials Avoid contact with heat and ignition sources and oxidizers.

Specific end use(s) Polish for headlight lenses

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Occupational Exposure Limits

Revision: 24 January 2018 Page: 3/8

Date of Issue: September 25, 2017 Revision Date: January 24, 2018 Revision: 0

		(8hr TWA)		(STEL)		
SUBSTANCE.	CAS No.	PEL (OSHA)	TLV (ACGIH)	PEL (OSHA)	TLV (ACGIH)	Note:
Kerosene	64742-81-0		200 mg/m ³			Kerosene
Triethanolamine	102-71-6		5 mg/m ³			
Diethanolamine	111-42-2		1 mg/m3 ^(IFV)			А3

Assure minimum oxygen content of work atmosphere. (IFV) Inhalable Fraction and Vapor. A3 - Confirmed Animal Carcinogen

Recommended monitoring method NIOSH 1550 (Naphthas); NIOSH 3509 (Triethanolamine); NIOSH 3509

(Diethanolamine)

Not normally required. Appropriate engineering controls

Personal protection equipment The following to be used as necessary:

Eye/face protection Wear protective eyewear (goggles, face shield, or safety glasses).

Skin protection (Hand protection/ Other) Wear suitable gloves if prolonged skin contact is likely. Check with





protective equipment manufacturer's data.

Respiratory protection



Normally no personal respiratory protection is necessary. In case of insufficient ventilation, wear suitable respiratory equipment. Check with

protective equipment manufacturer's data.

Thermal hazards Not normally required.

Environmental Exposure Controls Avoid release to the environment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance Liquid Color. Light Blue Odor Slight Odor Threshold (ppm) Not available.

pH (Value) 7.1 to 9.1 [Conc. (% w/w): 100%

Melting Point (°C) / Freezing Point (°C) Not available. Boiling point/boiling range (°C): Not available. Flash Point (℃) > 93 (> 199.4 °F) **Evaporation Rate** Not available. Flammability (solid, gas) Not applicable. **Explosive Limit Ranges** Not applicable. Vapour pressure (hPa) Not available. Not available. Vapour Density (Air=1) Not available. Density (g/ml) Solubility (Water) Insoluble Solubility (Other) Not available.

Partition Coefficient (n-Octanol/water) Not available.

Revision: 24 January 2018 Page: 4/8

Date of Issue: September 25, 2017 Revision Date: January 24, 2018 Revision: 0

Auto Ignition Point ($^{\circ}$ C) Not available. Decomposition Temperature ($^{\circ}$ C) Not available. Kinematic Viscosity (cSt) @ 40 $^{\circ}$ C 6,000-10,000 Explosive properties Not explosive. Oxidizing properties Not oxidizing.

Other information Not available.

SECTION 10: STABILITY AND REACTIVITY

Reactivity Stable under normal conditions.

Chemical stability Stable.

Possibility of hazardous reactionsNone anticipated.Conditions to avoidIncompatible materials.

Incompatible materials Avoid contact with heat and ignition sources and oxidizers.

Hazardous decomposition product(s)

Combustion or thermal decomposition will evolve toxic and irritant

vapours. Forms: oxides of carbon, siloxanes

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes: Inhalation, Skin Contact, Eye Contact

Information on toxicological effects

Petroleum Distillates (CAS No. Trade Secret):

Acute toxicity (calculated / estimated) Oral: LD50 >5000 mg/kg-bw

Dermal: LD50 >2000 mg/kg-bw

Inhalation: LC0 ≥5.28 mg/l (Vapor), 4-hr. rat - May cause

drowsiness or dizziness.

Irritation/Corrosivity Causes skin irritation. Repeated exposure may cause skin dryness

or cracking.

SensitizationIt is not a skin sensitizer.Repeated dose toxicityNot to be expected.- Oral: NOEAL 750 mg/kg

Oral: NOEAL 750 mg/kg
Dermal: NOEAL 0.5 ml/kg bw
Inhalation: NOAEL ≥1000 mg/m3

Carcinogenicity It is unlikely to present a carcinogenic hazard to man.

NTP	IARC	ACGIH	OSHA	NIOSH
No.	No.	No.	No.	No.

 Mutagenicity
 Not to be expected

 Reproductive toxicity
 Not to be expected

Stoddard solvent (CAS No. 8052-41-3) - By analogy with similar materials:

Acute toxicity (calculated / estimated) Oral: LD50 >5000 mg/kg-bw

Dermal: LD50 >2000 mg/kg-bw

Inhalation: LC0 > 5260 mg/l (Vapor), 4-hr. rat - May cause

drowsiness or dizziness.

Irritation/Corrosivity Causes skin irritation. Repeated exposure may cause skin dryness or

cracking.

SensitizationIt is not a skin sensitizer.Repeated dose toxicityOral: NOEAL = 750 mg/kg

Dermal: NOEAL = 0.5 ml/kg bw Inhalation: NOAEC = 9840 mg/m3*

Revision: 24 January 2018 Page: 5/8

Date of Issue: September 25, 2017Revision Date: January 24, 2018Revision: 0

Carcinogenicity

It is unlikely to present a carcinogenic hazard to man.

NTP	IARC	ACGIH	OSHA
No.	No.	No.	No.

 Mutagenicity
 Not to be expected

 Reproductive toxicity
 Not to be expected

Additional Information * A review of the epidemiological literature indicates prolonged and

repeated exposure to high concentrations of white spirits with the Aliphatic hydrocarbons (Stoddard Solvent), CAS No. (8052-41-3), is considered to have chronic adverse effects on the central nervous

system.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

Petroleum Distillates (CAS No. Trade Secret):

Short term LC50 (96 hour): 2.5 mg/L (fish)

EC50 (48 hour): 1.4 mg/L (crustacea) EC50 (72 hour): 1.3 mg/L (algae)

Long Term NOEC (28 days): 0.098 mg/L (fish)
LOEC (21 days): 1.2 mg/L (crustacea)

LOEC (21 days): 1.2 mg/L (crustacea)
LOEL (72 hour): 1 mg/L (algae)

Persistence and degradability Biodegradable

Bioaccumulative potential The product has no potential for bioaccumulation.

Mobility in soil Not available.

Results of PBT and vPvB assessment Not classified as PBT or vPvB.

Other adverse effects None known.

Stoddard solvent (CAS# 8052-41-3) - By analogy with similar materials:

Short term LL50 (96 hour): 8.2 mg/L (*Pimephales promelas*)

EL50 (48 hour): 4.5 mg/l (Daphnia magna)

EL50 (72 hour): 3.1 mg/l (Pseudokirchnerella subcapitata)

Long Term EL50 (21 days): 10 mg/l (Daphnia magna)

EL50 (72 hour): 3.1 mg/l (*Pseudokirchnerella subcapitata*)

Persistence and degradability Biodegradable

Bioaccumulative potential The product has no potential for bioaccumulation.

Mobility in soil

Results of PBT and vPvB assessment

Not classified as PBT or vPvB.

Other adverse effects None known.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods Disposal should be in accordance with local, state or national legislation.

Not available.

Consult an accredited waste disposal contractor or the local authority for

advice.

Additional Information None known.

SECTION 14: TRANSPORT INFORMATION

Land transport Sea transport Air transport (U.S. DOT) (IMDG) (ICAO/IATA)

UN number

Revision: 24 January 2018 Page: 6/8

Date of Issue: September 25, 2017Revision Date: January 24, 2018Revision: 0

Proper Shipping Name Transport hazard class(es) Packing group Environmental hazards Special precautions for user

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture:

TSCA (Toxic Substance Control Act) - Inventory Status: All components listed or polymer exempt.

Designated Hazardous Substances and Reportable Quantities (40 CFR 302.4):

	Chemical Name	CAS No.	Typical %wt.	RQ (Pounds)
	None			
SARA 311/312 - Hazard Categories:				
	☐ Fire ☐ Sudden Release	☐ Reactivity		cute)

SARA 313 - Toxic Chemicals (40 CFR 372):

Chemical Name	CAS No.	Typical %wt.
None		

SARA 302 - Extremely Hazardous Substances (40 CFR 355):

Chemical Name	CAS No.	Typical %wt.	RQ (Pounds)	TPQ (Pounds)
None				

Proposition 65 (California):

Chemical Name	CAS No.	Typical %wt.	Hazards
Diethanolamine	111-42-2	Carcinogen	Diethanolamine

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

Date of preparation: September 25, 2017
Hazard Statement(s) Listed in: SECTION 3

- H302: Harmful if swallowed.

- H304: May be fatal if swallowed and enters airways.
- H315: Causes skin irritation.
- H318: Causes serious eye damage.
- H226: Flammable liquid and vapour.
- H336: May cause drowsiness or dizziness.
- H372: Causes damage to organs through prolonged or repeated exposure.
- H373: May cause damage to organs through prolonged or repeated exposure.
- H401: Toxic to aquatic life.
- H402: Harmful to aquatic life.
- H411: Toxic to aquatic life with long lasting effects.
- H412: Harmful to aquatic life with long lasting effects.

Training advice: None.

This information relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process. Such information is to the best of our knowledge and belief, accurate and reliable as of the date compiled. However, no representation, warranty or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of this information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information nor do we offer warranty against patent infringement.

Revision: 24 January 2018 Page: 7/8

Date of Issue: September 25, 2017Revision Date: January 24, 2018Revision: 0

Revision: 24 January 2018 Page: 8/8