

# TRIM GOLD

Date of Issue: July 25, 2015

Revision Date: July 25, 2015

Revision: 0

## SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

### Product identifier

Chemical Name	Mixture
Trade Name	TRIM GOLD
CAS No.	Mixture

### Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s)	Automotive care product
Uses Advised Against	None

### Details of the supplier of the safety data sheet

Company Identification	Treatment Products Ltd. 4701 W. Augusta Blvd. Chicago, IL 60651 United States of America
Telephone	773-626-8888; M-F 8:00 AM-5:30 PM EST
Fax	773-626-6200

### Emergency telephone number

Emergency Phone No.	Infotrac 24 hr.: 1 (800) 535-5053; International: +1 (352) 323-3500.
---------------------	--

## SECTION 2: HAZARDS IDENTIFICATION

### Classification of the substance or mixture

OSHA HCS (29 CFR 1910.1200)	Flam. Liq. 4; Skin Irrit. 2; STOT SE 3
-----------------------------	--

### Label elements

Hazard Symbol(s)



### WARNING

Signal Word(s)

Hazard Statement(s)

Combustible liquid

Causes skin irritation.

May cause drowsiness or dizziness.

Precautionary Statement(s)

Keep away from heat/sparks/open flames/hot surfaces. – No smoking.

Avoid breathing mist/vapors/spray.

Wear protective gloves/protective clothing/eye protection/face protection.

Wash hands and exposed skin after use.

IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs, get medical advice/attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.

IF INHALED: Move person to fresh air. If breathing is labored, administer oxygen. If symptoms develop, obtain medical attention.

IF SWALLOWED: Do not give anything by mouth to an unconscious person. Seek medical treatment.

### Other hazards

Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

# TRIM GOLD

Date of Issue: July 25, 2015

Revision Date: July 25, 2015

Revision: 0

Additional Information

None

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Composition/information on ingredients	%W/W	CAS No.	Hazard classification
Petroleum distillate	70 - 80	Trade Secret	Flam. Liq. 4; H227 Skin Irrit. 2; H315 STOT SE 3; H336 Asp. Tox. 1; H304 Aquatic Acute 2; H401 Aquatic Chronic 2; H411
Silicone fluid	20 - 30	Trade Secret	Not classified as dangerous for supply/use.

**Additional Information** - Substances in the product which may present a health or environmental hazard, or which have been assigned occupational exposure limits, are detailed below. - **None**

## SECTION 4: FIRST AID MEASURES



### Description of first aid measures

Inhalation	Move person to fresh air. If breathing is labored, administer oxygen. If symptoms develop, obtain medical attention.
Skin Contact	Wash with plenty of soap and water. If skin irritation occurs, get medical advice/attention.
Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.
Ingestion	Do not give anything by mouth to an unconscious person. Seek medical treatment.
<b>Most important symptoms and effects, both acute and delayed</b>	None
<b>Indication of any immediate medical attention and special treatment needed</b>	None

## SECTION 5: FIRE-FIGHTING MEASURES

### Extinguishing Media

- Suitable Extinguishing Media
- Unsuitable Extinguishing Media

Extinguish with carbon dioxide, dry chemical, foam or water spray.  
None anticipated.

### Special hazards arising from the substance or mixture

Combustion or thermal decomposition will evolve toxic and irritant vapours. Carbon monoxide, Carbon dioxide, siloxanes.

### Advice for fire-fighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Keep containers cool by spraying with water if exposed to fire.

# TRIM GOLD

Date of Issue: July 25, 2015

Revision Date: July 25, 2015

Revision: 0

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

Eliminate sources of ignition. Wear protective gloves/eye protection/face protection. Avoid contact with skin and eyes.

### Environmental precautions

Avoid release to the environment.

### Methods and material for containment and cleaning up

Contain spillages with sand, earth or any suitable adsorbent material. Transfer to a container for disposal or recovery.

### Reference to other sections

None

### Additional Information

None

## SECTION 7: HANDLING AND STORAGE

### Precautions for safe handling

Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Use only outdoors or in a well-ventilated area. Avoid contact with skin and eyes. Avoid breathing mist/vapors/spray.

### Conditions for safe storage, including any incompatibilities

-Storage temperature

Store at room temperature.

-Incompatible materials

Avoid contact with heat and ignition sources and oxidizers.

### Specific end use(s)

Automotive care product

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

### Occupational Exposure Limits

SUBSTANCE.	CAS No.	(8hr TWA)		(STEL)		Note:
		PEL (OSHA)	TLV (ACGIH)	PEL (OSHA)	TLV (ACGIH)	
Alkanes (C9-C15)	-----	-----	1200 mg/m3	-----	-----	-----

### Exposure controls

#### Appropriate engineering controls

Not normally required.

#### Personal protection equipment

The following to be used as necessary:

Eye/face protection

Wear protective eyewear (goggles, face shield, or safety glasses).



Skin protection (Hand protection/ Other)

Wear suitable gloves if prolonged skin contact is likely. Check with protective equipment manufacturer's data.



Respiratory protection

Normally no personal respiratory protection is necessary. In case of insufficient ventilation, wear suitable respiratory equipment. Check with protective equipment manufacturer's data.



Thermal hazards

Not normally required.

### Environmental Exposure Controls

Avoid release to the environment.

# TRIM GOLD

Date of Issue: July 25, 2015

Revision Date: July 25, 2015

Revision: 0

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Appearance	Liquid
Color.	Clear golden
Odor	hydrocarbon-like
Odor Threshold (ppm)	Not available.
pH (Value)	Not applicable.
Melting Point (°C) / Freezing Point (°C)	Not available.
Boiling point/boiling range (°C):	Not available.
Flash Point (°C)	80 - 96 (176 - 205 °F)
Evaporation Rate	Not available.
Flammability (solid, gas)	Not applicable.
Explosive Limit Ranges	Not applicable.
Vapour pressure (hPa)	Not available.
Vapour Density (Air=1)	Not available.
Density (g/ml)	0.858 (7.16 lb/gal)
Solubility (Water)	Insoluble
Solubility (Other)	Not available.
Partition Coefficient (n-Octanol/water)	Not available.
Auto Ignition Point (°C)	Not available.
Decomposition Temperature (°C)	Not available.
Kinematic Viscosity (cSt) @ 40°C	> 20.5
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.

### Other information

**VOC:** 0.3956%; 3.39 g/L; 13.58 g/L (less water and exempt solvents)

## SECTION 10: STABILITY AND REACTIVITY

Reactivity	Stable under normal conditions.
Chemical stability	Stable.
Possibility of hazardous reactions	None anticipated.
Conditions to avoid	Incompatible materials.
Incompatible materials	Avoid contact with heat and ignition sources and oxidizers.
Hazardous decomposition product(s)	Combustion or thermal decomposition will evolve toxic and irritant vapours. Forms: oxides of carbon, siloxanes

## SECTION 11: TOXICOLOGICAL INFORMATION

**Exposure routes:** Inhalation, Skin Contact, Eye Contact

### Information on toxicological effects

<b>Acute toxicity</b> (calculated / estimated)	Oral: LD50 >5000 mg/kg-bw Dermal: LD50 >2000 mg/kg-bw Inhalation: LC0 ≥5.28 mg/l (Vapor), 4-hr. rat - May cause drowsiness or dizziness.
<b>Irritation/Corrosivity</b>	Causes skin irritation. Repeated exposure may cause skin dryness or cracking.
<b>Sensitization</b>	It is not a skin sensitizer.

# TRIM GOLD

Date of Issue: July 25, 2015

Revision Date: July 25, 2015

Revision: 0

## Repeated dose toxicity

Not to be expected.  
- Oral: NOEL 750 mg/kg  
- Dermal: NOEL 0.5 ml/kg bw  
- Inhalation: NOEL ≥1000 mg/m<sup>3</sup>

## Carcinogenicity

It is unlikely to present a carcinogenic hazard to man.

NTP	IARC	ACGIH	OSHA	NIOSH
No.	No.	No.	No.	No.

## Mutagenicity

Not to be expected

## Reproductive toxicity

Not to be expected

## SECTION 12: ECOLOGICAL INFORMATION

### Ecotoxicity

#### Short term

LC50 (96 hour): 2.5 mg/L (fish)  
EC50 (48 hour): 1.4 mg/L (crustacea)  
EC50 (72 hour): 1.3 mg/L (algae)

#### Long Term

NOEC (28 days): 0.098 mg/L (fish)  
LOEC (21 days): 1.2 mg/L (crustacea)  
LOEL (72 hour): 1 mg/L (algae)

### Persistence and degradability

Biodegradable

### Bioaccumulative potential

The product has no potential for bioaccumulation.

### Mobility in soil

Not available.

### Results of PBT and vPvB assessment

Not classified as PBT or vPvB.

### Other adverse effects

None known.

## SECTION 13: DISPOSAL CONSIDERATIONS

### Waste treatment methods

Disposal should be in accordance with local, state or national legislation.  
Consult an accredited waste disposal contractor or the local authority for advice.

### Additional Information

None known.

## SECTION 14: TRANSPORT INFORMATION

	Land transport (U.S. DOT) *	Sea transport (IMDG)	Air transport (ICAO/IATA)
UN number			
Proper Shipping Name			
Transport hazard class(es)			
Packing group			
Environmental hazards			
Special precautions for user			

\* Not classified as dangerous for transport.\*

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable

\* If shipped in bulk (> 119 gallons) in U.S.: NA1993, Combustible Liquid, n.o.s (petroleum distillates), 3, III

## SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture:

TSCA (Toxic Substance Control Act) - Inventory Status: All components listed or polymer exempt.

# TRIM GOLD

Date of Issue: July 25, 2015

Revision Date: July 25, 2015

Revision: 0

## Designated Hazardous Substances and Reportable Quantities (40 CFR 302.4):

Chemical Name	CAS No.	Typical %wt.	RQ (Pounds)
None	-----	-----	-----

## SARA 311/312 - Hazard Categories:

☒ Fire    ☐ Sudden Release    ☐ Reactivity    ☒ Immediate (acute)    ☐ Chronic (delayed)

## SARA 313 - Toxic Chemicals (40 CFR 372):

Chemical Name	CAS No.	Typical %wt.
None	-----	-----

## SARA 302 - Extremely Hazardous Substances (40 CFR 355):

Chemical Name	CAS No.	Typical %wt.	RQ (Pounds)	TPQ (Pounds)
None	-----	-----	-----	-----

## Proposition 65 (California):

Chemical Name	CAS No.	Typical %wt.	Hazards
None	-----	-----	-----

## SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

Date of preparation: July 25, 2015

Hazard Statement(s) Listed in: SECTION 3

- H227: Combustible liquid.
- H304: May be fatal if swallowed and enters airways.
- H315: Causes skin irritation.
- H336: May cause drowsiness or dizziness.
- H401: Toxic to aquatic life.
- H411: Toxic to aquatic life with long lasting effects.

Training advice: None.

This information relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process. Such information is to the best of our knowledge and belief, accurate and reliable as of the date compiled. However, no representation, warranty or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of this information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information nor do we offer warranty against patent infringement.